HYUNDAI L&C **Bodaq**

INTERIOR FILM

2026 — 2027

HYUNDAI L&C NEW COLLECTION

Creative and Environmental Interior Solution Provider

HYUNDAI
L&C

www.ebodaq.com

2026
2027

HYUNDAI L&C **Bodaq**

INTERIOR FILM

HYUNDAI
L&C

2026 — 2027

HYUNDAI L&C NEW COLLECTION

Creative and Environmental Interior Solution Provider

HYUNDAI L&C **Bodaq**

INTERIOR FILM

HYUNDAI
L&C

Index.

APZ
APZ05 108
APZ18 108
APZ25 108
APZ26 108

BLC
BLC01 NEW 10
BLC02 NEW 10
BLC03 NEW 10
BLC04 NEW 10
BLC05 NEW 10
BLC06 NEW 10
BLC07 NEW 10

CP
CP202 22

ECF
ECF01 NEW 121

EXF
EXF51 NEW 120
EXF52 NEW 120
EXF53 NEW 120
EXF54 NEW 120

HS
HS204 22

LM
LM202 22

LS
LS102 22
LS103 22
LS104 22
LS106 22

LW
LW101 46
LW102 45
LW103 46
LW104 54
LW105 53
LW106 54
LW107 52
LW108 51
LW109 52
LW110 44
LW111 43
LW112 44
LW113 50
LW114 49
LW115 50
LW116 48
LW117 48
LW118 56
LW119 56
LW120 55
LW121 NEW 41
LW122 NEW 40
LW123 NEW 42
LW201 NEW 37
LW202 NEW 38
LW203 NEW 36

NF
NF901 100
NF902 100
NF903 99
NF904 99
NF905 99
NF906 99

NS
NS118 119
NS119 119
NS120 117
NS121 117
NS122 117
NS123 117
NS201 NEW 116
NS202 NEW 116
NS401 118
NS403 118
NS601 107
NS602 107
NS703 118
NS710 117
NS711 117
NS715 119
NS717 118
NS804 119
NS806 119
NS814 119
NS822 118
NS823 118
NS898 118

OGW
OGW01 NEW 32
OGW02 NEW 31
OGW03 NEW 31
OGW04 NEW 33
OGW05 NEW 33
OGW06 NEW 34

PM
PM003 111
PM004 113
PM006 115
PM007 115
PM008 113
PM009 114
PM010 114
PM014 112
PM016 112
PM017 111
PM019 110

PNC
PNC41 12
PNC42 11
PNC43 12
PNC44 11
PNC45 13
PNC46 13
PNC47 11
PNC49 11
PNC50 12
PNC51 11
PNC52 11
PNC53 13
PNC54 13
PNC55 11
PNC56 12
PNC57 13
PNC58 12
PNC59 12

PNT
PNT01 19
PNT02 19
PNT03 19
PNT04 19
PNT05 19
PNT07 19
PNT09 19
PNT10 19

PTW
PTW01 20
PTW02 20
PTW04 20
PTW05 20
PTW06 20
PTW07 20
PTW08 20
PTW09 20
PTW10 20
PTW11 20
PTW12 20
PTW14 20
PTW15 20
PTW16 20

RF
RF001 101
RF008 101
RF010 101
RF011 101

RM
RM002 107
RM003 107
RM004 107
RM005 107
RM007 107
RM008 107
RM009 107
RM011 107
RM012 107
RM015 107
RM051 107

S
S115 15
S126 15
S127 16
S128 15
S140 15
S141 16
S143 15
S145 16
S146 17
S147 17
S149 15
S150 17
S153 16
S156 16
S157 16
S158 15
S159 15
S166 17
S169 17
S173 17
S175 17
S176 15
S177 15
S178 15
S179 15
S181 15
S183 16
S185 16
S186 17
S188 17
S189 17
S194 17
S195 16
S197 15
S198 16
S200 16
S201 16
S202 16
S204 16
S208 15
S209 15
S210 15
S211 15
S212 16
S213 17
S214 16
S215 16
S216 15
S217 16
S218 16
S219 17
S230 16
S231 15
S232 17
S233 16
S234 16
S235 15
S236 15
S237 16
S238 16
S239 16
S240 15
S241 17
S242 16
S243 15
S244 15
S245 15
S246 16
S247 16
S248 16
S249 16
S250 17
S251 16
S252 16
S253 16
S254 16
S255 15
S256 15
S257 15
S258 15
S259 15
S260 15
S261 NEW 16
S262 NEW 16
S263 NEW 15
S264 NEW 15
S265 NEW 15
S266 NEW 15

SF
SF801 NEW 98
SF802 NEW 98
SF803 NEW 98
SF804 NEW 98

SL
SL401 NEW 102
SL402 NEW 102
SL403 NEW 102
SL404 NEW 102

SMT
SMT01 21
SMT02 21
SMT03 21
SMT04 21
SMT05 21
SMT06 21
SMT07 21
SMT10 21
SMT11 21
SMT12 21
SMT13 21
SMT14 21
SMT15 21
SMT16 21
SMT17 21
SMT18 21
SMT20 21
SMT21 21
SMT24 21

SPW
SPW01 71
SPW03 64
SPW05 61
SPW09 NEW 57
SPW10 NEW 57
SPW11 70
SPW12 72
SPW13 73
SPW14 83
SPW15 65
SPW16 71
SPW17 66
SPW18 71
SPW19 81
SPW20 81
SPW22 60
SPW23 67
SPW24 72
SPW25 80
SPW26 71
SPW27 81
SPW28 82
SPW29 68
SPW30 70
SPW38 NEW 59
SPW39 NEW 59
SPW40 79
SPW41 82
SPW42 86
SPW43 69
SPW44 85
SPW45 60
SPW46 64
SPW47 84
SPW48 84
SPW49 76
SPW50 76
SPW52 79
SPW53 81
SPW54 67
SPW55 86
SPW56 80
SPW57 84
SPW60 75
SPW61 62
SPW62 66
SPW63 63
SPW64 70
SPW65 83
SPW66 65
SPW67 74
SPW68 62
SPW69 75
SPW70 78
SPW71 68
SPW72 84
SPW73 77
SPW88 NEW 58
SPW89 NEW 58
SPW90 69
SPW91 63
SPW92 85
SPW94 70
SPW95 73
SPW96 74
SPW97 78
SPW98 61
SPW99 77

UMI
UMI01 106
UMI02 106
UMI05 106
UMI06 106

VM
VM901 104
VM902 105
VM903 105
VM904 105
VM905 103
VM906 103
VM907 104
VM908 104
VM909 103
VM910 104
VM911 105

W
W011 93
W012 93
W015 94
W016 96
W017 NEW 91
W018 NEW 91
W134 94
W141 95
W171 95
W177 95
W183 95
W189 93
W192 93
W196 93
W198 93
W200 94
W206 95
W207 96
W260 95
W301 94
W302 95
W351 94
W357 94
W375 93
W376 95
W388 94
W389 94
W390 94
W401 94
W402 NEW 91
W403 NEW 91
W504 94
W508 95
W528 93
W531 94
W538 94
W632 94
W638 96
W681 95
W705 96
W722 96
W727 96
W741 NEW 92
W742 NEW 92
W816 95
W823 96
W842 95
W845 95
W863 93
W864 95
W867 94
W870 95
W871 93
W874 94
W877 94
W878 94
W879 94
W880 96
W881 94
W882 93
W883 96
W933 93
W935 93
W937 93
W942 95
W943 95
W946 93
W949 95
W952 94
W953 96
W954 96
W955 96
W956 96
W957 NEW 92
W958 NEW 92

ZSW
ZSW04 20

ZX
ZX102 88
ZX103 87
ZX104 89
ZX107 89
ZX108 89
ZX109 89
ZX110 89
ZX113 87
ZX114 88
ZX116 90
ZX118 90
ZX119 89
ZX124 89
ZX125 90
ZX126 90
ZX130 88
ZX133 90
ZX134 90
ZX141 90
ZX144 88
ZX145 88
ZX149 89
ZX152 88
ZX153 87
ZX154 89
ZX155 87
ZX156 88
ZX157 90
ZX158 90
ZX159 88
ZX161 87
ZX162 88
ZX163 88
ZX165 87
ZX166 87
ZX169 89
ZX171 87
ZX172 89
ZX174 90
ZX175 90
ZX176 87
ZX178 87
ZX179 87
ZX180 88

CONTENTS

01 BASIC
09p
- Mono Blanc
- Premium Painted Concrete
- Solid
- Premium Painted Wood
- Painted Wood
- Super Matt
- Texture

02 WOOD
23p
- Optical Grain Wood
- Long Wood
- Origin Wood
- Premium Wood
- Standard Wood

03 NATURAL SURFACE
97p
- Soft Fabric
- Natural Fabric
- Real Fabric
- Soft Leather
- Velvet Metal
- UMI
- Real Metal
- Gold

04 STONE & MARBLE
109p
- Premium Marble
- Stone & Marble

05 ETC
120p
- Exterior Film
- Easy Clean Film

www.ebodaq.com

Scan QR Code to explore Bodaq Interior Films online.
The pattern images of all Bodaq Interior Film series are available.

HYUNDAI L&C

LIVING & CULTURE

Start your journey with Hyundai L&C,
to discover the most contemporary interior design,
where the life becomes the culture.

HYUNDAI L&C **Bodaq**

26-27 Trend Summary

Care-full


Amid social changes, health, relaxation, and emotional recovery have become priority, while the advancements in technology and infrastructure are expanding the role of spaces - from personal to social connections, health care and wellness. Reflecting this, Hyundai L&C's trend analysis for this year identifies the in-trend theme as **'Care-full : A Space Filled with Care'**, suggesting a new perspective on space design with daily life stability, relationship restoration & medical · health care experiences. Explore the evolving trend toward Human-centered design filled with meticulous attention and sensitivity.

Ego Care

A private space of rest for personal recovery.

01

The warm, medium wood toned interior film adds a delicate grain throughout the space, creating a deep relaxing atmosphere.






96p ||| Teak **W953**

Connect Care

A space for fostering emotional connection.

02

LW Long Wood series articulate a community lounge that balances generous spatiality with a refined sense of comfort.





50p Alpine Oak **LW113**

Bio Care

A wellness space for the balance of the body.

03

The subtle concrete pattern creates a calming visual environment, turning the act of staying in the space into a healing wellness experience.





11p Moon Stone **PNC55**

Environment

We care the Environment

Eco-Label Certification

Bodaq Fire-Retardant Interior Film is an eco-friendly product certified with the Eco-Label, designed to minimize the content of harmful substances. The Environmental Label Certification is a recognized standard established to reduce resource waste & environmental pollution, which is a key criterion prioritized in material selections by public institutions. Bodaq Fire-Retardant Interior Film meets these stringent environmental and legal standards, offering a choice that can be applied with confidence in any public, commercial, and residential places.

※ In accordance with Article 6 of the Act on the Promotion of Green Product Purchases, public institutions are required to give priority to purchase green products when the supply is available.
※ Eco-Label Certification enables consumers to accurately identify the product & the service with superior environmental performance.
※ Discover our Eco-Label Certified Bodaq products and detailed technical information on the official website : (https://m.ebodaq.com/Community/TechnologyData)
※ Not intended for direct food contact - certification status may vary by Bodaq series, referring the technical date sheet on Bodaq official website is required.
※ Applicable Series : APZ, BLC, CP, HS, LM, LS, LW, NS, PM, PNC, PNT, PTW, RM, S, SF, SL, SMT, SPW, VM, W, ZSW, ZX

Environmental Product Declaration (EPD Certification)

EPD Certification evaluates the environmental impact of energy and resources across the entire product life cycle - including raw materials sourcing, production, distribution, use, and disposal. Bodaq Interior Film not only holds EPD Certification, but also continuously pursues improvements in environmental performance.

Eco-Friendly Building Materials Certification (HB Mark)

Bodaq Interior Film (non-fire-retardant) has achieved the highest grade in substance verification test in compliance with the Eco-Friendly Building Materials Certification (HB Mark) regulations established by the Korea Air Cleaning Association, by utilizing water-based adhesive applications.

Safety

Your Safety is our Priority

Fire-Retardant Performance Test

Bodaq Interior Film (fire-retardant) products, only films that have passed the Fire-Retardant performance test conducted by the Korea Fire Institute (KFI) are allowed to be distributed with the certification mark. For the corresponding results notification of each Fire-Retardant production lot, please contact your nearest Bodaq Interior Film distributor.

Fire-Retardant Performance [KFI Certification]				
Char Length ≤ 20 cm	Char Area ≤ 30 cm^2	Afterglow time ≤ 5 seconds	Afterflame time ≤ 3 seconds	Smoke density 200 Ds


Stain-Resistant					
Soy Sauce	Coke	10% Hydrochloric Acid	Coffee	5% Ethanol	Wine Vinegar
No changes					

※ Certificates of performance, construction specifications, and technical data sheets can be found on the Bodaq official website (https://m.ebodaq.com/Community/TechnologyData), either can be requested to our headquarters or authorized distributors.

Bodaq × HanStone

Create a cohesive space by installing Bodaq and HanStone from Hyundai L&C.

HanStone



Denver

Bodaq




11p Moon Stone **PNC55**



117p Granite **NS121**

HanStone




Luna White

Bodaq



13p Stone Blast **PNC53**



117p Sierra Stone **NS123**

HanStone

Eden

Bodaq

15p Matt Ivory **S256**

110p Venato **PM019**

HanStone



Boa Vista

Bodaq



12p Sand Stone **PNC59**



119p White Marble **NS119**

※ The images above are for illustrative purposes only, and may differ from the actual products.

01 COLLECTION

BASIC

Mono Blanc
Premium Painted Concrete
Solid
Premium Painted Wood
Painted Wood
Super Matt
Texture


BLC07

HYUNDAI L&C 2026 - 2027
Bodaq Interior Film
New Collection

Mono Blanc

Mono Blanc series features the refined texture of plastered walls, that meets the warm mood of wallpaper. Experience the sophisticated variations of a white palette, each with its own delicated nuance.

● Fire Retardant ● General

Pure White NEW ●● BLC05



Cream NEW ●● BLC02


Cream White NEW ●● BLC06


Porcelain NEW ●● BLC03


White NEW ●● BLC07


Valen NEW ●● BLC01


Terranova NEW ●● BLC04

※ The images above are for illustrative purposes only, and may differ from the actual products.

Premium Painted Concrete

Bodaq Painted Concrete series creates a natural and refined space, featuring the authentic texture & soft shading of concrete as unique as a brushed plaster wall.

L LIVART Matching Film ● Fire Retardant ● General

Stucco ●● PNC51

Moon Stone ●● PNC52



Stucco ●● PNC44



Slate ●● PNC47



Moon Stone ●● PNC49



Moon Stone L ●● PNC55



Stone Blast ●● PNC42



Sand Stone ●● PNC58



Sand Stone ●● PNC59



Stone Blast ●● PNC41



Moon Stone ●● PNC50



Stone Blast ●● PNC43



Stone Blast L ●● PNC56




Stone Blast ●● PNC53



Stucco ●● PNC45



Stucco ●● PNC46



Stucco ●● PNC54



Stone Blast L ●● PNC57



Solid

Complete the space with enhanced, more diverse range of colors from calm neutral monochromatic hues to soft pastels and trendy shades. Create a space that tells a unique and special story, one that is truly one-of-a-kind.

L LIVART Matching Film ● Fire Retardant ● General

S115	L S255	NEW S265	S245
S243	S260	S178	S176
NEW S263	S216	S208	S177
S244	NEW S264	S126	NEW S266
L S257	L S256	S179	S128
S158	L S258	S240	S181
S235	S143	S236	S209
L S259	S159	S210	S231
S140	S197	S211	S149

S156	NEW S261	S153	S141
S215	S214	S185	S127
S157	S239	S249	S217
S183	S212	S195	S238
S246	S248	S230	S237
S247	S200	S198	S251
S145	S201	S242	S252
S234	S202	S204	S218
S253	S233	S254	NEW S262

S241	S194
S188	S166
S146	S219
S169	S189
S213	S186
S232	S175
S250	S173
S147	S150

Solid

Upgraded Solid Colors with an even more refined & multidimensional texture. Add modern depth to the space with a polished surface finish.

NEW S263

NEW S264

Premium Painted Wood

Premium Painted Wood PNT01

Premium Painted Wood PNT02

Premium Painted Wood PNT03

Premium Painted Wood PNT04



Premium Painted Wood PNT07

Premium Painted Wood PNT09

Premium Painted Wood PNT05

Premium Painted Wood PNT10

Discover the Painted Wood series, which captures the essence of paint and preserving the unique texture of wood.

Painted Wood

Fire Retardant General

Super White Wood ZSW04

Painted Wood PTW16

Painted Wood PTW10

Painted Wood PTW01

Painted Wood PTW02

Painted Wood PTW14

Painted Wood PTW08

Painted Wood PTW11

Painted Wood PTW12

Painted Wood PTW06

Painted Wood PTW05

Painted Wood PTW09

Painted Wood PTW07

Painted Wood PTW15

Painted Wood PTW04

※ The images above are for illustrative purposes only, and may differ from the actual products.

Super Matt

Bodaq Super Matt series features a premium, special surface texture treated product providing strong resistance to daily stains and scratches. Its gentle visual effect and luxurious tactile feel elevate the sophistication of any space to a new dimension.

Feel the texture * Premium matte finish applied.

The surface texture may vary between Fire-Retardant and General due to the manufacturing processes
(*Sample book reference: General version)

Super Matt SMT24

Super Matt SMT16 | Super Matt SMT01 | Super Matt SMT02

Super Matt SMT21 | Super Matt SMT17 | Super Matt SMT03

Super Matt SMT20 | Super Matt SMT12 | Super Matt SMT04

Super Matt SMT18 | Super Matt SMT13 | Super Matt SMT14

Super Matt SMT10 | Super Matt SMT05 | Super Matt SMT15

Super Matt SMT11 | Super Matt SMT06 | Super Matt SMT07

Texture

● Fire Retardant ● General



LS102

LS104

HS204

CP202

LM202

LS106

LS103

※ The images above are for illustrative purposes only, and may differ from the actual products.

02 COLLECTION

WOOD

Optical Grain Wood
Long Wood
Origin Wood
Premium Wood
Standard Wood



Long Wood


Bodaq LW Long Wood Series combines a luxurious surface finish with an extended 1,800mm vertical repeat, enhancing the beauty of high ceiling spaces. Experience the grandeur of Long Wood with LW Series.



Origin Wood

Bodaq SPW Origin Wood series delivers a more natural wood texture through premium surface coating and precise embossing. Explore SPW's luxurious surface finishes across a variety of colors and wood types.

Wood Palette



WOOD


Wood Palette



Bodaq Wood Palette Collection showcasing Bodaq Interior Film's premium wood series arranged by color.
Browse our diverse range of wood products in various colors and types.

L LIVART Matching Film ● Fire Retardant ● General ||| Vertical Half Grain Wood Grain








SPW56

Optical Grain Wood



OGW01



Noble Oak

NEW ● OGW02



Noble Oak

NEW ● OGW03

Discover Optical Grain Wood, where the depth of ink layered over delicate wood grains creates a realism of actual texture that mimics the essence of natural wood.

● Fire Retardant ● General ||| Vertical Half Grain Wood Grain




Noble Oak

NEW ● OGW01

※ The images above are for illustrative purposes only, and may differ from the actual products.

Optical Grain Wood





Essence Teak

NEW ● OGW04



Essence Teak

NEW ● OGW05

● Fire Retardant ● General ||| Vertical Half Grain Wood Grain



Essence Teak

NEW ● OGW06

※ The images above are for illustrative purposes only, and may differ from the actual products.

Long Wood

LW203

Enhance spaces with high ceilings by creating a luxurious ambiance using the extended 1,800mm vertical width of Bodaq Long Wood.

● Fire Retardant ● General ||| Vertical Half Grain Wood Grain



Noa Oak

NEW ●● LW203

※ The images above are for illustrative purposes only, and may differ from the actual products.

Long Wood

Fire Retardant General Vertical Half Grain Wood Grain



Noa Oak

NEW LW201



Noa Oak

NEW LW202

Long Wood

LW122

Fire Retardant General Vertical Half Grain Wood Grain



Arden Oak

NEW LW122

※ The images above are for illustrative purposes only, and may differ from the actual products.

Long Wood

Fire Retardant General Vertical Half Grain Wood Grain



Arden Oak

NEW LW121



Arden Oak

NEW LW123

Long Wood



Fire Retardant · General · Vertical · Half Grain · Wood Grain



Nordic Oak ●● **LW111**



Nordic Oak ●● **LW110**



Nordic Oak ●● **LW112**

※ The images above are for illustrative purposes only, and may differ from the actual products.

Long Wood



Fire Retardant General Vertical Half Grain Wood Grain



Denver Oak **LW102**



Denver Oak **LW101**



Denver Oak **LW103**

※ The images above are for illustrative purposes only, and may differ from the actual products.

Long Wood



LW116

Fire Retardant General Vertical Half Grain Wood Grain



Amber Oak **LW116**



Amber Oak **LW117**

※ The images above are for illustrative purposes only, and may differ from the actual products.

Long Wood



Fire Retardant General Vertical Half Grain Wood Grain



Alpine Oak **LW114**



Alpine Oak **LW113**



Alpine Oak **LW115**

※ The images above are for illustrative purposes only, and may differ from the actual products.

Long Wood



● Fire Retardant ● General ||| Vertical Half Grain Wood Grain



Timber Oak ●● **LW108**



Timber Oak ●● **LW107**



Timber Oak ●● **LW109**

※ The images above are for illustrative purposes only, and may differ from the actual products.

Long Wood



LW105

Fire Retardant General Vertical Half Grain Wood Grain



Sonoma Oak **LW105**



Sonoma Oak **LW104**



Sonoma Oak **LW106**

※ The images above are for illustrative purposes only, and may differ from the actual products.

Long Wood



Fire Retardant General Vertical Half Grain Wood Grain



Ebony Oak **LW120**




Ebony Oak **LW118**



Ebony Oak **LW119**

※ The images above are for illustrative purposes only, and may differ from the actual products.

Origin Wood



Introducing the SPW series, a wood beyond wood, flawlessly recreated with Bodaq's unique technology and premium design.
Experience a new dimension of premium finishes with the sturdy texture and natural feel, closely resembling real wood.

Fire Retardant · General · Vertical · Half Grain · Wood Grain



Eden Oak — NEW SPW88



Eden Oak — NEW SPW89



Spanish Oak — NEW SPW09



Spanish Oak — NEW SPW10



※ The images above are for illustrative purposes only, and may differ from the actual products.

Origin Wood


SPW39

Fire Retardant General Vertical Half Grain Wood Grain


Solid Oak SPW22


Oak SPW45


Siena Teak NEW SPW38


Siena Teak NEW SPW39


SPW22

※ The images above are for illustrative purposes only, and may differ from the actual products.

Origin Wood


SPW05

Fire Retardant General Vertical Half Grain Wood Grain


Wash Oak SPW61


Oak SPW68


Oak SPW98


Vertical Wood SPW05


SPW68

※ The images above are for illustrative purposes only, and may differ from the actual products.

Origin Wood



Oak

SPW63



Oak

SPW91



SPW91 · SPW92

Fire Retardant General Vertical Half Grain Wood Grain



SPW03



Oak

SPW46



Oak

SPW03

※ The images above are for illustrative purposes only, and may differ from the actual products.

Origin Wood



SPW15


Fire Retardant General Vertical Half Grain Wood Grain



Wild Oak SPW17



Wash Oak SPW62



SPW17



Elm SPW66



Velvet Oak SPW15

※ The images above are for illustrative purposes only, and may differ from the actual products.

Origin Wood


SPW54


Elder ●● SPW54 |||


Solid Oak ●● SPW23

● Fire Retardant ● General ||| Vertical Half Grain Wood Grain


Oak ●● SPW29


Eucalyptus ●● SPW71


SPW29

※ The images above are for illustrative purposes only, and may differ from the actual products.

Origin Wood


SPW90


Oak ●● SPW43


African Teak ●● SPW90 |||

● Fire Retardant ● General ||| Vertical Half Grain Wood Grain


Oak ●● SPW64 |||


White Oak ●● SPW11


Oak ●● SPW30


Soft White Oak ●● SPW94


※ The images above are for illustrative purposes only, and may differ from the actual products.

SPW64

Origin Wood

Fire Retardant General Vertical Half Grain Wood Grain



Velvet Oak **SPW16**



Wild Oak **SPW01**



Wild Oak **SPW18**



Walnut **SPW26**



SPW01



SPW12



Stripe Wood **SPW24**



White Oak **SPW12**

※ The images above are for illustrative purposes only, and may differ from the actual products.


Origin Wood



Oak ● ● SPW13



Eiche ● ● SPW95



● Fire Retardant ● General ||| Vertical Half Grain Wood Grain





Eiche ● ● SPW96



Elm ● ● SPW67 |||

※ The images above are for illustrative purposes only, and may differ from the actual products.

Origin Wood


SPW60

LIVART Matching Film ● Fire Retardant ● General ||| Vertical Half Grain Wood Grain


Split Wood ●● SPW50


Split Wood ●● SPW49


Oak ●● SPW69


Ash L ●● SPW60


SPW50

※ The images above are for illustrative purposes only, and may differ from the actual products.

Origin Wood


SPW73


Oak ●● SPW99


Walnut ●● SPW73 |||

● Fire Retardant ● General ||| Vertical Half Grain Wood Grain


Eucalyptus ●● SPW70


African Teak ●● SPW97 |||



SPW70

※ The images above are for illustrative purposes only, and may differ from the actual products.

Origin Wood



Elm ●● SPW40 ⫻



Walnut ●● SPW52 |||



SPW40

● Fire Retardant ● General ||| Vertical ⫻ Half Grain ⋒ Wood Grain



SPW25



Stripe Wood ●● SPW25 |||



Ash ●● SPW56 ⋒

※ The images above are for illustrative purposes only, and may differ from the actual products.

Origin Wood



Walnut ● ● SPW27



Oak ● ● SPW53



Dark Oak ● ● SPW19



Dark Oak ● ● SPW20



SPW19

● Fire Retardant ● General ||| Vertical Half Grain Wood Grain



SPW41 · SPW42



Teak ● ● SPW41 |||



Walnut ● ● SPW28

※ The images above are for illustrative purposes only, and may differ from the actual products.

Origin Wood



Oak

SPW65



Oak

SPW14





Fire Retardant General Vertical Half Grain Wood Grain



Walnut

SPW47



Walnut

SPW72



Ash

SPW57



Walnut

SPW48

※ The images above are for illustrative purposes only, and may differ from the actual products.

Origin Wood



Oak SPW44



Oak SPW92



Fire Retardant General Vertical Half Grain Wood Grain





Teak SPW42



Elder SPW55

※ The images above are for illustrative purposes only, and may differ from the actual products.

Premium Wood

Experience a nature-inspired living space with Premium Wood, which faithfully replicates natural wood, offering not only visual beauty but also tactile details that can be felt at your fingertips, bringing nature into your daily life.

LIVART Matching Film · Fire Retardant · General · Vertical · Half Grain · Wood Grain



Oak ZX171



Oak ZX161



Ash ZX103



Cherry ZX155



Maple ZX153



Teak ZX178



Ash ZX176



ZX179



Oak ZX166



Oak ZX165



Oak L ZX179



Eiche ZX113



Oak ZX162



Oak L ZX180



ZX180



Oak ZX144



Oak ZX163



Oak ZX152



Ash ZX159



Wizard Grain ZX102



Ash ZX156



Oak ZX145



Eiche ZX114



Apple ZX130

※ The images above are for illustrative purposes only, and may differ from the actual products.

Premium Wood



Fire Retardant ● General ||| Vertical Half Grain Wood Grain



Oak ●● ZX107



Oak ●● ZX108



Oak ●● ZX172



Ash ●● ZX110



Ash ●● ZX109



Walnut ●● ZX149



Oak ●● ZX154 |||



Walnut ●● ZX119



Pine ●● ZX169



Oak ●● ZX124



Teak ●● ZX104 |||



Walnut ●● ZX158



Walnut ●● ZX126



Teak ●● ZX118 |||



Walnut ●● ZX175



Amazahoue ●● ZX116 |||



Oak ●● ZX133





Oak ●● ZX174



Oak ●● ZX125



Oak ●● ZX134



Ash ●● ZX141



Oak ●● ZX157

※ The images above are for illustrative purposes only, and may differ from the actual products.

Standard Wood

Discover the diverse expressions of wood with Standard Wood, where the natural beauty of its patterns and textures seamlessly blend with your space.

● Fire Retardant ● General ||| Vertical Half Grain Wood Grain





Eucalyptus NEW ● ● W017



Eucalyptus NEW ● ● W018



Riven Oak NEW ● ● W402



Riven Oak NEW ● ● W403






Soft Noche NEW ● ● W741



Soft Noche NEW ● ● W742







Velvet Oak NEW ● ● W957



Velvet Oak NEW ● ● W958

※ The images above are for illustrative purposes only, and may differ from the actual products.

Standard Wood

Fire Retardant · General · Vertical · Half Grain · Wood Grain



Oak · W198



Oak · W933



Wash Oak · W011



Maple · W189



Oak · W012



Oak · W863



Cedar · W946



Maple · W935



Ash · W196



Burl Wood · W882



Oak · W937



Wash Oak · W375





Oak · W871



Castagno Cadduci · W192



Noce · W528



White Oak · W351



Ash · W389



Ash · W015



Castagno Cadduci · W301



Maple · W200



Maple · W134



Elm · W877



Ash · W879



Maple · W401



Oak · W878



Sycamore · W531



Noce · W504



Teak · W952



Ash · W390



Pine · W538



Ash · W881



Oak · W867



Ash · W388



Ash · W357



Oak · W874



Castagno Cadduci · W632

※ The images above are for illustrative purposes only, and may differ from the actual products.

Standard Wood

● Fire Retardant ● General ||| Vertical Half Grain Wood Grain



Sycamore ●● W845 |||



Oak ●● W949





Pine ●● W183 |||



Oak ●● W864



Maple ●● W842



Teak ●● W870 |||



Noce ●● W508 |||



Africa Limba ●● W177



Oak ●● W942 |||



Maple ●● W171



Walnut ●● W141



Oak ●● W943 |||



Cherry ●● W816



Walnut ●● W376



Walnut ●● W302



Walnut ●● W260 |||



Walnut ●● W206 |||



Walnut ●● W681 |||



Teak ●● W953 |||



Ash ●● W880



Rose Wood ●● W727 |||



Walnut ●● W954





Walnut ●● W016



Walnut ●● W955



Walnut ●● W207 |||



Noce ●● W823



Oak ●● W638 |||



Noce ●● W722



Walnut ●● W956



Burl Wood ●● W883



Noce ●● W705


※ The images above are for illustrative purposes only, and may differ from the actual products.

03 COLLECTION

NATURAL SURFACE

Soft Fabric
Natural Fabric
Real Fabric
Soft Leather
Velvet Metal
UMI
Real Metal
Gold


HYUNDAI L&C 2026 - 2027
Bodaq Interior Film
New Collection




● Fire Retardant ● General




Chevron NEW ●● SF801



Woven Fabric NEW ●● SF803



Chevron NEW ●● SF802



Woven Fabric NEW ●● SF804

※ The images above are for illustrative purposes only, and may differ from the actual products.

Natural Fabric




Oxford Twill

● NF904




Herringbone

● NF903




Oxford Twill

● NF905



Oxford Twill

● NF906



● Fire Retardant ● General



Herringbone

● NF902



Herringbone

● NF901

※ The images above are for illustrative purposes only, and may differ from the actual products.


Real Fabric

The Real Fabric series is crafted using a woven technique that intertwines PVC yarns, offering the natural texture unique to fabric along with exceptional durability.






Real Fabric ● RF011



Real Fabric ● RF008



Real Fabric ● RF010



Real Fabric ● RF001

Soft Leather

Add a sense of warmth and depth to your space with Soft Leather, where a smooth touch and gentle sheen come together in perfect harmony.

● Fire Retardant ● General



Soft Leather NEW ●● SL401



Soft Leather NEW ●● SL402



Soft Leather NEW ●● SL403



Soft Leather NEW ●● SL404



※ The images above are for illustrative purposes only, and may differ from the actual products.

Velvet Metal

Experience the elevated luxury of Velvet Metal, showcasing subtle yet dramatic metallic textures in sophisticated colors.

Fire Retardant General



Champagne VM905



Gold VM907



Rose Gold VM906



Light Brown VM908



Brown VM909



Ash VM910



103

VM909



Chrome VM901

※ The images above are for illustrative purposes only, and may differ from the actual products.

Velvet Metal




Grey ● ● VM902



Silver ● ● VM903



Sky Blue ● ● VM904



Navy ● ● VM911

The pinnacle of modernism, perfected by light. Experience the glamorous appeal of UMI Metal, which showcases the beauty of metal in its richest form.

● Fire Retardant ● General





Shiny Rookie ● UMI02



Shiny Rookie ● UMI01



Hologram ● UMI06



Hologram ● UMI05



※ The images above are for illustrative purposes only, and may differ from the actual products.

Real Metal

With Bodaq's unique technology and expertise, we bring out the distinctive character and radiant beauty of metal. From elevators and windows to furniture doors, it adds a sophisticated touch to both residential and commercial spaces.



Real Metal ●● **RM004**



Real Metal ●● **RM015**



Real Metal ●● **RM007**




Real Metal ●● **RM005**



Real Metal ●● **RM051**



Real Metal ●● **RM003**




Real Metal ●● **RM009**



Real Metal ●● **RM012**



Real Metal ●● **RM011**



Patina Metal ●● **NS602**



Real Metal ●● **RM002**



Real Metal ●● **RM008**



Patina Metal ●● **NS601**



RM002

Gold

The striking gold accents naturally draw the eye to focal areas, creating an impressive atmosphere in any space.

● Fire Retardant ● General



Metal Weave ●● **APZ18**



Golden Fabric ●● **APZ25**



Gold Crack ●● **APZ05**



Golden Fabric ●● **APZ26**



APZ05


※ The images above are for illustrative purposes only, and may differ from the actual products.

04 COLLECTION

STONE & MARBLE

Premium Marble
Stone & Marble

HYUNDAI L&C 2026 - 2027
Bodaq Interior Film
New Collection



● Fire Retardant ● General

Venato

●● PM019

※ The images above are for illustrative purposes only, and may differ from the actual products.

Premium Marble


The marble pattern, long loved for its elegant charm, has been upgraded to an even more realistic look.
By applying innovative coating technology to the existing marble surface, the premium marble delivers enhanced visual appeal, with a satin-like, powdery sanded stone texture that feels as luxurious to the touch as it looks.

● Fire Retardant ● General


PM017 · PNC50


Bianco ●● PM017


Onyx ●● PM003


PM003


Tundra ●● PM014


PM016


PM014


Fior di Bosco ●● PM016

※ The images above are for illustrative purposes only, and may differ from the actual products.

Premium Marble



Terrazzo ●● PM008



Terrazzo ●● PM004



PM008

● Fire Retardant ● General



PM010



Basaltina ●● PM010



Basaltina ●● PM009

※ The images above are for illustrative purposes only, and may differ from the actual products.



Pietra ●● PM006



Pietra ●● PM007





● Fire Retardant ● General



Travertine NEW ●● NS201




Travertine NEW ●● NS202

※ The images above are for illustrative purposes only, and may differ from the actual products.


Stone & Marble




Fire Retardant General



Flake Cement NS898



Elba Stone NS822



Elba Stone NS823






Sierra Stone NS122




Granite NS121




Sierra Stone NS123



Granite NS120





Cardoso NS711



Cardoso NS710



Cement NS703



Concrete NS401



Particle Stone NS717




Concrete NS403

※ The images above are for illustrative purposes only, and may differ from the actual products.

Stone & Marble



Arabescato ●● NS814



Mono Terrazzo ●● NS715



NS715




NS118



White Marble ●● NS118



White Marble ●● NS119



Nero Marquina ●● NS804



Travertine ●● NS806

Exterior Film

We've extended the delicate design sense of our interior films to the exterior of buildings.
Complete your building's first impression with Bodaq Exterior Film.



The image was taken from an actual exterior wall installation at the Hyundai L&C headquarters.

EXF54

● Fire Retardant ● General



Onyx NEW ● EXF51



Rustic Stone NEW ● EXF52



Wild Concrete NEW ● EXF53



Wild Concrete NEW ● EXF54

※ The images above are for illustrative purposes only, and may differ from the actual products.



Easy Clean Film

Turn your walls into a free-flowing idea board. Our Easy Clean Film makes writing and erasing simple, bringing your creative space to life.

ECF01

● Fire Retardant ● General

Easy Clean Film

NEW ● ECF01

※ The images above are for illustrative purposes only, and may differ from the actual products.

Installation Guidelines

BODAQ

Installation Precautions

- Check the condition of the substrate (product name, product type, surface conditions) before installation. (If any issues are found, notify the supplier.)
- For MDF, ensure the density is uniform, as differences in density can affect adhesion and stability during installation.
- Follow the following recommended cleaning procedures for the substrate
  - -For film covering and ABS doors, clean the surface of any contaminants and treat any damaged areas before installation.
  - ※ When using sandpaper on ABS doors, avoid causing uneven surfaces.
  - -For MDF, PB, and similar materials, smooth rough surfaces with sandpaper or apply putty before installation.
- Be cautious of color differences between production lots. It's best to avoid mixing different lots during installation.
- When exposed to low temperatures during winter, the surface may crack, and adhesion strength may decrease. Take extra care.
- Avoid substrates with scratches or wax components, as these can reduce adhesion.

Primer Stage

- It is recommended to use Bodaq Primer, produced by Hyundai L&C, for optimal performance and stability.
- MDF, PB, and other wood materials have a high absorption rate, so 2-3 coats should be applied on cut edges.
- After applying the primer, allow at least 2 hours for it to dry thoroughly before applying the film.
  [※Store Bodaq Primer (water-based) in a cool, shaded area, and do not use if the product has frozen. Take care during winter storage.

Installation (Adhesion) Stage

- Maintain a room temperature (15℃-23℃) to eliminate any residual moisture on the wall.
- For products like, OGW, SPW, LW, SMT, UMI, PNC, and PNT, which have special coatings, ensure that the temperature is maintained before installation.
- When installing special products, apply primer, allow it to dry, and use extra pressure to finish the installation.
- Pay special attention to corners, as insufficient pressure may cause peeling.
- Avoid moisture and direct sunlight during installation, and do not use the film outdoors.
- During hot summer months, sealing the space immediately after installation can lead to high temperatures, potentially causing bubbles or peeling. To prevent this, ensure adequate ventilation throughout the process.

Product-Specific Usage Considerations

OGW / SPW / LW / PNC / PNT Products (Premium Coating Type)	• Handle with care to prevent damage to the special coating layer during installation, particularly when fitting into corners. • The surface features deep embossing, which may lead to tearing if subjected to excessive pressure or frequent removal and reattachment. • Clean the surfaces using mild detergent or water to avoid damage.
SMT Products (Matte Special Coating Type)	• The special coating may hinder the squeegee to smoothly slide during installation, so be sure to apply adequate pressure. • Avoid contamination between the substrate and the adhesive surface to prevent marks or protrusions. • The special coating may make overlapping installations difficult, so use caution. • The product may not return to its original shape if wrinkled or marked, so handle it with care during storage and use. • Be aware that F/R and General versions may have different surface textures.
RF Products (Woven Type)	• Be careful of scratches when using sharp tools due to the material's texture. • The thick material may be difficult to bend or overlap, and cutting it may be challenging. • There is no protective layer on the surface, so ensure careful use of the squeegee to avoid surface damage. • Tunnelling may occur if the fabric is rewound after use.
NF Products (Fabric Type)	• The fabric material may unravel during cutting, leaving threads behind. Applying pressure with the squeegee may be difficult. • The product is designed for flat installations and may be difficult to bend or cut due to its thickness. • Overlapping may be difficult due to the water-repellent and F/R coating on the surface. • Handle carefully to avoid surface damage, as there is no film layer on the surface.
VM / RM Products (Pearl Type)	• The pearl finish may show color variations depending on the distribution of the pearl pigments on the film surface. • Excessive detachment after overlapping installation could cause peeling.
UMI Products (Premium Real Metal Type)	• To maximize surface effect, installation must be carried out in a very clean environment to avoid dents or protrusion marks. • If the product is wrinkled or dented, it cannot be restored due to its special structure. Handle with care during storage and use. • The product is harder than standard products, so bending or overlapping may be difficult. • Tunnelling may occur if the fabric is rewound after use.
HS Products (High Gloss Type)	• Due to the high hardness of the product, sufficient pressure must be applied to prevent corner lifting.
ECF Products	• To maximize surface effect, installation must be carried out in a very clean environment to avoid dents or protrusion marks. • If the product is wrinkled or dented, it cannot be restored due to its special structure. Handle with care during storage and use. • The product is harder than standard products, so bending or overlapping may be difficult. • Tunnelling may occur if the fabric is rewound after use. • Handle with care to prevent damage to the special coating layer during installation, particularly when fitting into corners. • Clean the surfaces using mild detergent or water to avoid damage.

Other Precautions

- There is a risk of discoloration due to UV exposure.
- After installation, maintain room temperature for at least 1-2 days to allow the film to set properly.

BODAQ Exterior Film

EXF Products

Installation Precautions

- Installation is recommended on smooth, non-porous, and high-energy surfaces.
- Check the condition of the substrate (product name, product type, surface conditions) before installation. (If any issues are found notify the supplier.)
- Follow the following recommended cleaning procedures for the substrate
  - -Remove existing silicone caulking and residues, evenly fill dents or damaged areas, and sand the surface to remove contaminants and residues.
- Be cautious of color differences between production lots. It's best to avoid mixing lots during installation.
- When exposed to low temperatures during winter, the surface may crack, and adhesion strength may decrease. Take extra care.
- Avoid substrates with scratches or wax components, as these can reduce adhesion.

Primer Stage

- Apply the material thoroughly, focusing on edges, which are more prone to foreign matter intrusion.
- After applying the primer, allow at least 2 hours for it to dry thoroughly before applying the film.

Installation (Adhesion) Stage

- Installation is recommended at room temperature (15℃-23℃).
- Remove surface moisture caused by condensation before installation.
- Avoid moisture and direct sunlight during installation.
- Pay special attention to corners, as insufficient pressure may cause peeling.
- When applying silicone caulking after film attachment, cover at least 2 mm of the film with silicone.

For performance certifications and construction specifications, please contact Hyundai L&C.
www.hyundailnc.com / www.ebodaq.com